

## Manual Hydraulic Thin Wall Tube Bender

### Model 068

Mild Steel: 1" - 2" (2mm wall thickness) capacity.

Stainless Steel: 1" - 1.1/2" (1.2mm wall thickness) capacity

Aluminium: 2 - 3mm wall thickness

(Does not come Former & Slipper Sets - SOLD SEPARATELY)

### Advantages

- Fast and efficient bending of tube
- Can bend tube from 1" - 2" (see specifications below)
- 180° maximum bend for producing U-bends
- Supplied with tripod stand

### Details

- Change formers by simply removing holding pins
- Shipping: 40kg / 0.05m<sup>3</sup>

### Optional Extras

- Former & Slipper Sets

### Specifications

Size range available:

TUBE SIZE	Centreline Radius of Bend
1" (25.4mm)	115mm
1.1/8" (28.6mm)	115mm
1.1/4" (31.8mm)	115mm
1.3/8" (35mm)	140mm
1.1/2" (38mm)	140mm
1.5/8" (41.3mm)	140mm
1.3/4" (44.5mm)	165mm
1.7/8" (47.6mm)	165mm
2" (51mm)	165mm



Former & Slipper Sets sold separately.

### Questions to ask when purchasing

What size tube are you bending?

What material tubing are you bending

Is the quality of the bend important (minimal flattening)?

How simple is it to change formers?

Is having readily available spares important to you?

### R.R. Bramley & Co. Ltd

184 Marua Rd, Mt Wellington, Auckland

Ph: (09) 579 2036

Fax: (09) 525 0735

Email: sales@bramley.co.nz

Website: www.bramley.co.nz